

STEEL PROP

PRODUCT DESCRIPTION

COMPANY Profile >>>>

Tianjin TSX Scaffolding & Formwork Group Co., Ltd is a building materials factory approved by SGS, specialized in manufacturing and exporting varieties of steel items including kinds of steel props, steel formworks, steel decking and steel pipe. Our factory located in Daqingzhuang town, Jinghai County, Tianjin City, traffic convenience, 190kms away from Beijing Capital International Airport, 80kms from Tianjin Xingang Port.

The quality is always the basement of our survival and development. Skilled employees carry out the procedure inspection from raw material to final product, the scientific and exact quality control and management provide a reliable guarantee for 100% delivered acceptance. We adopt quality following system to make customers be assured of our quality. Will continue to provide our customers the best quality & price!

● Introduction:

Steel prop is used in steel pipes, H-beams, angles, etc. to enhance the stability of engineering structures. Generally, it is used as inclined connecting accessories commonly. The most common are herringbone and cross shapes. Steel prop has been widely used in subway and foundation pit enclosure.

Advantages:

- Recyclable and reusable, economical and environmentally friendly.



THE FIRST SECTION

1. Middle East Type Prop

Inner Tube Diameter	48.3mm
Outer Tube Diameter	60.3mm
Tube Thickness	1.6-4.0mm
Adjustable Length	1700-3000mm
	2000-3500mm
	2200-4000mm
	3000-5500mm
Surface Treatment	Galvanized/Painted



2. Spanish Type Prop

Inner Tube Diameter	40mm
Outer Tube Diameter	48mm
Tube Thickness	1.5-2.5mm
Adjustable Length	800-1400mm
	1600-3000mm
	2000-3500mm
	2200-4000mm
Surface Treatment	Galvanized/Painted



TSX PRODUCTS FOR YOUR CONSTRUCTION NEED!





3. Italian Type Prop	
Inner Tube Diameter	48mm
Outer Tube Diameter	56mm
Tube Thickness	1.5-2.5mm
Adjustable Length	800-1400mm
	1600-3000mm
	2000-3500mm
	2200-4000mm
Surface Treatment	Galvanized/Painted

THE SECEND SECTION



Common steel prop

TSX PRODUCTS FOR YOUR CONSTRUCTION NEED!





Cup type steel prop

THE THIRD SECTION


Product Detail	
Adjustable nut	
G type pin	
Screw	

Product Detail	
Cup shaped nut	
Chain shaped pin	
Top/bottom plate	





THE FOURTH SECTION



Product picture show

THE FOURTH SECTION



Product process

TSX PRODUCTS FOR YOUR CONSTRUCTION NEED!



STEEL SUPPORT USED IN SUBWAY ENGINEERING

Introduction

Steel prop is widely used in subway and foundation pit supporting to block the earth wall of culvert tunnel and prevent the foundation pit from collapsing.

Steel prop is assembly used in subway construction such as fixed joint, flexible joint and so on.



Additional instructions

1. Easy to assemble and dismantle and can be adjusted to any length within its range.
2. Prop parts are connected with carbon dioxide arc welding to ensure good deformation resistance.
3. Flat plate or flower plate at the top of prop can be welded as your request.
4. Produce different kinds of adjustable scaffolding steel props as your requirement.

TSX PRODUCTS FOR YOUR CONSTRUCTION NEED!

